



---

**MILITARY AND  
LAW ENFORCEMENT  
FIREARMS**



# CONTENTS

**WE DISTRIBUTE OUR PRODUCTS  
TO MORE THAN 100 COUNTRIES  
AROUND THE WORLD**



The technical specifications provided are for orientation purposes only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

<b>ABOUT CZ</b>	<b>5</b>
<b>PISTOLS</b>	<b>6</b>
<b>CZ P-10 SERIES</b>	<b>8</b>
<b>ACCESSORIES</b>	<b>18</b>
<b>CZ P-09 NOCTURNE SERIES</b>	<b>20</b>
<b>ACCESSORIES</b>	<b>28</b>
<b>SUB GUNS</b>	<b>30</b>
<b>CZ SCORPION EVO 3</b>	<b>32</b>
<b>ACCESSORIES</b>	<b>36</b>
<b>SELECT FIRE RIFLES</b>	<b>38</b>
<b>CZ BREN 3 SERIES</b>	<b>40</b>
<b>CZ BREN 2 SERIES</b>	<b>50</b>
<b>ACCESSORIES</b>	<b>58</b>
<b>CZ BREN 2 BR</b>	<b>60</b>
<b>CZ BREN 2 DMR</b>	<b>62</b>
<b>ACCESSORIES</b>	<b>64</b>
<b>SNIPER RIFLE</b>	<b>66</b>
<b>CZ TSR</b>	<b>68</b>
<b>ACCESSORIES</b>	<b>70</b>
<b>GRENADE LAUNCHER</b>	<b>72</b>
<b>CZ GL</b>	<b>74</b>



## EQUIPPING THE ARMED FORCES SINCE 1936

CZ (Ceska zbrojovka) is a premier Czech manufacturer of precision-engineered firearms that are valued around the world for their instinctive fit that ensures intuitive and natural handling.

Founded in 1936 in the city of Uhersky Brod, CZ became a joint stock company in 1992, quickly growing into one of the Czech Republic's largest and most influential global exporters.

Thanks to its most precious resource, a highly skilled and motivated work force using state-of-the-art technologies, CZ has established itself as a global leader in one of the world's most challenging manufacturing fields – military-grade firearms.

Contributing to CZ's global success is its commitment to the development and use of some of the world's most advanced manufacturing equipment and processes, which include robotics, fully-automated turning and milling centers, and material coatings that significantly extend the durability and life cycle of its products.

Ultimately, CZ is able to consistently produce world-class products due to stringent quality controls that hold its people, machines and processes to the highest global manufacturing standards. This is achieved by implementing hundreds of inspections throughout the manufacturing process, which include lasers that measure tolerances to a hundredth of a millimeter. CZ's factory in Uhersky Brod, Czech Republic, is ISO 9001 certified.



## PISTOLS

For more than 60 years, Ceska zbrojovka has been developing and producing semi-automatic pistols for the military and other armed forces, with its models among the most highly regarded on the world market.

The current range of CZ pistols for the armed forces consists of the striker-fired CZ P-10 series and hammer-fired CZ P-07/09 series. Both feature fiberglass-reinforced polymer frames for lightweight carry and extreme durability in adverse weather conditions. Selected models allow for the easy mounting of a red dot sight and/or suppressor. A black finish comes standard on all pistols, but the popular flat dark earth color scheme is also available on specific models.

Development activities for CZ service pistols are led by product managers with extensive experience in the armed forces. Their ongoing work is enhanced by CZ's world-class research and development facilities, which are powered by ultramodern production and design tools. Consistent feedback from end-users around the world ensures that CZ pistols are created in exact accordance with their specific wants and needs.

# CZ P-10 SERIES

**A modern, large-capacity striker-fired pistol built to withstand the rigors of military use.**

The highly advanced CZ P-10 is the first choice of armed forces and police agencies across the globe, due to its leading ergonomics, high reliability and extreme accuracy. From its inception, the CZ P-10 was designed to take on the most demanding missions and withstand the extreme range of adverse weather conditions.

The CZ P-10 series consists of full-size, compact, subcompact and micro models.



**OUTSTANDING  
ERGONOMICS**

**EXTREME  
DURABILITY**

**FX/UTM**  
Training kits available

# MAIN FEATURES



Swappable magazine release is left-handed friendly



Three sizes of interchangeable backstraps to modify grip and finger reach



Drop safety



Lightweight, fiberglass-reinforced polymer frame is mechanically and thermally stable



Ergonomic grip with prominent checkering for superb shooting comfort



Iron sights with three luminescent dots for quick and intuitive aiming



Front and rear cocking serrations for comfortable and safe handling



Extremely durable nitride finish on slide and barrel



Flat ambidextrous slide stop (except CZ P-10 M)

FULL-SIZE

# CZ P-10 F

9 × 19 | 19 9 × 19 NATO | 19

The CZ P-10 F provides users with a large 19+1 firing capacity. Shooting accuracy is also increased due to a longer sight radius.



FULL-SIZE

# CZ P-10 F OR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR (Optics-Ready) features a modified slide for quick and easy attachment of a red dot sight.

FULL-SIZE

# CZ P-10 F OR SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor.

FULL-SIZE

# CZ P-10 F 45 Auto

45 Auto | 13



The 45 Auto model is the largest caliber available in the CZ P-10 series and features a 13+1 capacity, which is impressive for its category. Even with the additional power it provides compared to the 9mm version, there is just a small increase in size and weight.

**FX/UTM**  
Training kits available

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 F	9 × 19, 9 × 19 NATO	19	810	203 × 32 × 150	114	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR	9 × 19, 9 × 19 NATO	19	810	203 × 32 × 153	114	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR SR	9 × 19, 9 × 19 NATO	19	830	225 × 32 × 153	134	Luminescent	1/2" × 28 UNEF – 3A	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F 45 Auto	45 Auto	13	930	207 × 34 × 151	114	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

COMPACT

# CZ P-10 C

9 × 19 | 15 9 × 19 NATO | 15 380 Auto | 15



The CZ P-10 C features downsized dimensions, an innovative design and large firing capacity. It's the perfect choice for missions that require high accuracy, superior ergonomics and rugged reliability.



COMPACT

# CZ P-10 C OR

9 × 19 | 15 9 × 19 NATO | 15



The P-10 C OR (Optics-Ready) features a modified slide for mounting a red dot sight.

COMPACT

# CZ P-10 C OR SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 C OR SR (Optics-Ready, Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor.

**FX/UTM**  
Training kits available

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 C	9 × 19, 9 × 19 NATO, 380 Auto	15	740	187 × 32 × 132	102	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR	9 × 19, 9 × 19 NATO	15	740	187 × 32 × 135	102	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR SR	9 × 19, 9 × 19 NATO	15	760	209 × 32 × 135	122	Luminescent	1/2" × 28 UNEF – 3A	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block



SUBCOMPACT

# CZ P-10 S

9 × 19 | 12 9 × 19 NATO | 12

The CZ P-10 S's subcompact dimensions make it an ideal choice for concealed carry or as a back-up gun. Despite its smaller size, it provides the same shooting comfort and user-friendliness as the compact version. Plenty of firepower is on hand, with a standard 12-round 9 × 19 magazine that can be extended with a +2 base plate.



SUBCOMPACT

# CZ P-10 S OR

9 × 19 | 12 9 × 19 NATO | 12



The CZ P-10 S OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

## FDE On Demand

All CZ P-10 models are available with fiberglass-reinforced polymer frames finished in the flat dark earth color scheme.



**FX/UTM**  
Training kits available

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 S	9 × 19, 9 × 19 NATO	12	710	170 × 32 × 116	89,5	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 S OR	9 × 19, 9 × 19 NATO	12	710	170 × 32 × 119	89,5	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

**CZ P-10**  
**ACCESSORIES**



1091-1410-01  
CZ P-10 OPTIC READY PLATE – RMR/SRO



3700-7700  
TRIJICON RMR RM06-C-700688  
RED DOT SIGHT + RM63 PLATE



B0115-0059  
HOLSTER RADAR 6MA07 NPS



D0554-0000  
4M MAGAZINE POUCH TACTICAL  
PISTOL S – SINGLE, BLACK



B0115-0032  
KYDEX HOLSTER IWB  
CZ P-10 C (R)



5118-0004-01  
NANUK CASE FOR CZ P-10, BLACK



1081-0170  
SUPPRESSOR GIS PSR 9/5  
COMPACT



B0103-0002  
STREAMLIGHT TLR-8 A LIGHT  
(RED LASER)

B0103-0001  
STREAMLIGHT TLR-7 A LIGHT  
SML69424

B0103-0003  
STREAMLIGHT TLR-8 G LIGHT  
(GR. LASER)

B0101-0000  
AIMPOINT ACRO P-2  
RED DOT

1091-1410-08  
CZ P-10 ACRO OPTICS  
READY PLATE

# CZ P-09 NOCTURNE SERIES

**Third generation of the successful polymer pistol series  
with the OMEGA SA/DA Trigger Mechanism**


The new CZ P-09 NOCTURNE F (Full-size) and C (Compact) models not only retain all key features of the previous CZ P-07/09 generation, but in some ways takes them even further. It comes with improved ergonomics, the ability to mount a red dot sight without a plate, and controls that further expand the features found in the CZ P-09 family.

**GENERATIONAL  
UPGRADE  
OF THE CZ P-07/09  
SERIES**


**IMPROVED  
SHOOTING  
COMFORT**

**FX**  
Training kits available


# MAIN FEATURES



Extremely durable nitride finish on slide and barrel - BOBOX




Interchangeable, ambidextrous safety levers, manual safety to decocker




Extremely durable fiberglass-reinforced polymer frame with an enhanced grip texture




Omega SA/DA trigger mechanism




Three sizes of interchangeable backstraps to modify grip




New Optics-Ready interface compatible with Shield RMS and Holosun K footprints



Enhanced front cocking serrations



Luminescent sights provide convenient, high visibility in low indoor or outdoor light



Flared and textured magazine base pad for quick and confident manipulation

FULL-SIZE

# CZ P-09 F NOCTURNE

9 × 19 | 19 9 × 19 NATO | 19



The full-size version of the CZ P-09 NOCTURNE with OMEGA SA/DA trigger mechanism features advanced ergonomics and intuitive placement of controls for maximum comfort with intuitive operation. High accuracy is ensured by its full-size, cold hammer forged barrel and luminescent or tritium sights. New texturing on the grip and other strategic areas provide high traction where you need it most.

FULL-SIZE

# CZ P-09 F NOCTURNE SR

9 × 19 | 19 9 × 19 NATO | 19



The Suppressor-Ready (SR) version of the full-size comes with a 1/2" x 28 UNEF-3A threaded barrel for quick and easy mounting of a suppressor. High performance doesn't need to raise its voice.

**FX**  
Training kits available

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-09 F NOCTURNE	9 × 19, 9 × 19 NATO	19	830	208 × 37 × 150	115	Luminescent, Tritium	No	SA: 21 DA: 44 ± 2	SA: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety/decocker, Safety notch (on hammer), Firing pin block
CZ P-09 F NOCTURNE SR	9 × 19, 9 × 19 NATO	19	880	230 × 37 × 150	135	Luminescent, Tritium	1/2" × 28 UNEF-3A	SA: 21 DA: 44 ± 2	SA: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety/decocker, Safety notch (on hammer), Firing pin block

COMPACT

# CZ P-09 C NOCTURNE

9 × 19 | 15 9 × 19 NATO | 15



The reduced, compact dimensions of the CZ P-09 NOCTURNE C make it the perfect choice for concealed carry. Although smaller than the full-size version, it retains the same cutting-edge features, intuitive operation and extreme shooting comfort.

COMPACT

# CZ P-09 C NOCTURNE SR

9 × 19 | 15 9 × 19 NATO | 15



Concealed carry with a whisper is a fitting description for the CZ P-09 C NOCTURNE SR (Suppressor-Ready). Its reduced dimensions are complimented by a 1/2" x 28 UNEF-3A threaded barrel for fast and convenient mounting of a suppressor.

**FX**  
Training kits available

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-09 C NOCTURNE	9 × 19, 9 × 19 NATO	15	740	185 × 37 × 137	95	Luminescent, Tritium	No	SA: 21 DA: 44 ± 2	SA: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety/decocker, Safety notch (on hammer), Firing pin block
CZ P-09 C NOCTURNE SR	9 × 19, 9 × 19 NATO	15	760	207 × 37 × 137	115	Luminescent, Tritium	1/2" × 28 UNEF – 3A	SA: 21 DA: 44 ± 2	SA: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety/decocker, Safety notch (on hammer), Firing pin block

**CZ P-09 C/F NOCTURNE**  
**ACCESSORIES**



D2010-0301  
 4M MODULAR PISTOL HOLSTER FOR  
 CZ P-09 C NOCTURNE, RIGHT, BLACK

D2012-0301  
 4M MODULAR HOLSTER FOR  
 CZ P-09 C NOCTURNE, RIGHT, BLACK



D2030-0308  
 4M PADDLE HOLSTER FOR  
 CZ P-09 C/F NOCTURNE



D0554-0000  
 4M TACTICAL POUCH MAGAZINE PISTOL  
 S - SINGLE, BLACK

D0724-0000  
 4M MAGAZINE POUCH WITH BELT CLIP  
 FOR CZ P-09 C/F NOCTURNE



5125-1042  
 KYDEX HOLSTER OWB  
 CZ P-09 C NOCTURNE (R)

5125-1040  
 KYDEX HOLSTER OWB  
 CZ P-09 F NOCTURNE (R)



1081-0170  
 SUPPRESSOR GIS PSR 9/5  
 COMPACT



## SUB GUNS

The CZ SCORPION EVO 3 platform is a highly accurate and proven performer across a range of demanding situations. Its outstanding build quality and advanced ergonomics ensure flawless operation and handling in the field. A suppressor, red dot sight, flashlight, laser and interchangeable backstraps can all be easily attached for maximum efficiency and user comfort.





# CZ SCORPION

EVO 3 A1

**A light automatic firearm designed around our patented blowback design, which combines a robust, dynamic breech with a removable trigger housing.**

Unlike competing models, the CZ SCORPION EVO 3 A1 features a firing pin block for delivering an even higher level of safety. With the addition of sophisticated ergonomics, extreme accuracy in all modes of fire and proven reliability, it's the right choice for challenging conditions around the world.



# FASTEST

## RELOADING SPEEDS

IN ITS CATEGORY

**FX**  
Training kits available

## SIMPLE AND

# RELIABLE

## BLOWBACK SYSTEM

# CZ SCORPION EVO 3 A1

9 × 19 | 30 9 × 19 NATO | 30



**FX**  
Training kits available

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (MM)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	FRAME
CZ SCORPION EVO 3 A1	9 × 19, 9 × 19 NATO	1:10 / 6	30	7,7 / 196 ± 1	M18 × 1	Iron, Adjustable	2,61 ± 0,05	420 / 625-675 ± 10	215 ± 5	60 / 82 ± 5	48 ± 10	Fiberglass-reinforced polymer



Adjustable pistol grip radius for fine-tuning reach

Flared and tapered magwell for maximum reloading speeds

Non-reciprocating charging handle with side-to-side swappable design

Folding, extendable fiberglass-reinforced polymer stock

Muzzle threads hidden under standard flash hider

MIL-STD-1913 rails for mounting accessories

# CZ SCORPION EVO 3 A1

## ACCESSORIES

A0103-0001  
INFORCE WML TACT. FLASHLIGHT,  
400 LM

A0103-0001-0003  
INFORCE WML TACT. FLASHLIGHT,  
400 LM FDE

A0103-0002  
INFORCE WML TACT. FLASHLIGHT,  
400 LM IR

A0210-0007  
SPUHR MOUNT SM-2001  
T-2/COMP5 H30MM



A0101-0018  
AIMPOINT MICRO T-2 RED DOT, 200180  
(WITHOUT SPACER AND MOUNT)



B0101-0000  
AIMPOINT ACRO P-2 RED DOT

A0216-0000  
ACRO QD 39 MM WEAVER MOUNT  
200519

A0105-0001  
FRONT HAND GUARD  
FOR CZ SCORPION EVO 3

A0105-0002  
FRONT HAND GUARD FOR  
CZ SCORPION EVO 3, M-LOK

3662-0780-0735-ND  
CZ MAG 9 × 19 30RD MAGAZINE

3662-0800-0715ND  
CZ MAG 9 × 19 10RD MAGAZINE

3662-0770-0725ND  
CZ MAG 9 × 19 20RD MAGAZINE



A0115-0000  
980 NANUK CASE  
FOR CZ SCORPION EVO 3



D3661-0300  
4M MAGAZINE POUCH, LASER-CUT  
EVO 3 - SINGLE, BLACK



D3661-0301  
4M TACTICAL POUCH,  
EVO 3 - SINGLE, BLACK, UNI SIZE



D2600-0300  
4M1 POINT EVO SLING





## **SELECT FIRE** RIFLES

CZ select fire rifles are among the highest performers in their class due to advanced CZ development and manufacturing processes, together with the ongoing feedback we receive from some of the world's most elite special units and armed forces. Military professionals value their modern, comprehensive platform designed to deliver high reliability, extreme accuracy and outstanding user comfort. Models are available in 5,56 × 45 NATO, 7,62 × 39 and 7,62 × 51 NATO chamberings.

# CZ BREN 3 SERIES

**The CZ BREN 3 is the third generation of the extremely popular CZ BREN select-fire rifle family, which is currently used by the Czech army, as well as by other armed forces around the globe that include the French anti-terrorist unit GIGN, the Mexican Federal Police, the Portuguese Air Force, and the Hungarian Armed Forces.**

Designed for extreme durability, without sacrificing high accuracy, the modular, multi-caliber CZ BREN 3 has reached the pinnacle of class-leading reliability when faced with the most severe conditions encountered across the globe.

## EXTREMELY DURABLE

### ACED NATO AC/225 D/14 TESTS

**UTM**  
Training kits available

The CZ BREN 3 not only meets the demanding requirements of NATO AC/225 D/14 TESTS, but exceeds them, thereby ensuring high performance when you need it most. High temperatures, barrel obstructions, salt water, ice, cold, sand, mud, and contaminated air are no match for the CZ BREN 3.

No matter where you are, and what you face, you can count on the CZ BREN 3 to provide you with the highest reliability and performance that help ensure the success of your missions.



# MAIN FEATURES



Bolt release in trigger guard



Two ejectors



Three-position adjustable gas port



Seven QD attachment points



Fully ambidextrous, ar-style controls



25 N trigger pull weight with smooth 7mm of travel and a short 4 mm reset



Ambidextrous folding and non-reciprocating charging handle featuring forward assist



Folding / PDW stock



M-LOK, rail or suppressor-ready forend

# CZ BREN 3 300 AAC BLACKOUT

## M-LOK VERSIONS

7"



include A-TEC A-FLOW  
suppressor ready

The CZ BREN 3 7" SR " chambered in 300 AAC Blackout is ideal for covert operations, when stealth is essential. Featuring a quality A-Tec suppressor that minimizes noise and flash signature it is the right tool for discreet engagements.

9"



The CZ BREN 3 9" chambered in 300 AAC Blackout is designed for optimal performance in covert operations. Built for professionals, CZ BREN 3 ensures reliability, accuracy, and superior comfort in a compact package.

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	HANDGUARD (6 O'CLOCK)	WEIGHT WITHOUT MAGAZINE (kg)	STOCK	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 3 9"	300 AAC Blackout	1:5 / 4	30	9 / 229 ± 1	5/8" × 24	Iron, Folding, Adjustable	M-LOK	3,1 ± 0,05	4-Position Telescopic, Foldable	520 / 715-785 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 3 7" SR *	300 AAC Blackout	1:5 / 4	30	7 / 180 ± 1	5/8" × 24	Iron, Folding, Adjustable	M-LOK	3,6 ± 0,05	4-Position Telescopic, Foldable	565 / 760-830 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy

# CZ BREN 3

## 5,56 × 45 NATO

### M-LOK VERSIONS



16.5"

7"

PDW - TELESCOPIC STOCK



11"



14.5"



The CZ BREN 3 with M-LOK handguard offers exceptional performance with four different barrel and forend lengths. This modular system allows users to customize their setup to achieve the perfect balance of maneuverability and precision. Designed with ergonomics in mind, the CZ BREN 3 delivers outstanding comfort and control during extended operations. Known for its reliable function, this rifle is built to perform consistently in challenging environments, ensuring confidence for any mission.

**FX/UTM**  
Training kits available

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	HANDGUARD (6 O'CLOCK)	WEIGHT WITHOUT MAGAZINE (kg)	STOCK	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
<b>CZ BREN 3 7"</b> PDW - TELESCOPIC STOCK	5,56 × 45 NATO	1:7 / 6	30	7 / 185 ± 1	1/2" × 28	Iron, Folding, Adjustable	M-LOK	3 ± 0,05	PDW 1+3 Position Telescopic	- / 550-725 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy
<b>CZ BREN 3 11"</b>	5,56 × 45 NATO	1:7 / 6	30	11 / 280 ± 1	1/2" × 28	Iron, Folding, Adjustable	M-LOK	3,1 ± 0,05	4-Position Telescopic, Foldable	569 / 763-833 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy
<b>CZ BREN 3 14.5"</b>	5,56 × 45 NATO	1:7 / 6	30	14.5 / 367 ± 1	1/2" × 28	Iron, Folding, Adjustable	M-LOK	3,35 ± 0,05	4-Position Telescopic, Foldable	656 / 850-920 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy
<b>CZ BREN 3 16.5"</b>	5,56 × 45 NATO	1:7 / 6	30	16.5 / 420 ± 1	1/2" × 28	Iron, Folding, Adjustable	M-LOK	3,4 ± 0,05	4-Position Telescopic, Foldable	709 / 903-973 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy



# CZ BREN 3

## 5,56 × 45 NATO

### RAIL VERSIONS

11"



14.5"



16.5"



The CZ BREN 3 with STANAG 4694 rail system, enabling seamless attachment of optics, lasers, and accessories for maximum tactical flexibility. Available in three barrel and forend lengths, this rifle offers versatility to adapt to a wide range of mission requirements. Designed with exceptional ergonomics, the CZ BREN 3 provides optimal comfort and handling for extended engagements. Known for its reliable performance, this rifle is built to maintain functionality and precision in demanding conditions.

**FX/UTM**  
Training kits available

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	HANDGUARD (6 O'CLOCK)	WEIGHT WITHOUT MAGAZINE (kg)	STOCK	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 3 11"	5,56 × 45 NATO	1:7 / 6	30	11 / 280 ± 1	1/2" × 28	Iron, Folding, Adjustable	Rail	3,15 ± 0,05	4-Position Telescopic, Foldable	569 / 763-833 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 3 14.5"	5,56 × 45 NATO	1:7 / 6	30	14.5 / 367 ± 1	1/2" × 28	Iron, Folding, Adjustable	Rail	3,3 ± 0,05	4-Position Telescopic, Foldable	656 / 850-920 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 3 16.5"	5,56 × 45 NATO	1:7 / 6	30	16.5 / 420 ± 1	1/2" × 28	Iron, Folding, Adjustable	Rail	3,4 ± 0,05	4-Position Telescopic, Foldable	709 / 903-973 ± 10	190 ± 5	25 ± 5	7075 T6 Aluminum Alloy

# CZ BREN 2 SERIES

**The advanced design, superb build quality and leading reliability of our flagship CZ BREN 2 rifle series makes it the firearm of choice for leading military professionals across the globe.**


Its high quality, aluminum alloy upper receiver and highly durable polymer trigger housing ensure lightweight carry and extreme resistance to adverse weather conditions. The ergonomic design, adjustable non-reciprocating charging handle, folding/adjustable stock and ambidextrous controls allow for the CZ BREN 2 to be completely customized for each user. Its multi-caliber system allows for the easy transition between the powerful 5,56 × 45 NATO and 7,62 × 39 calibers, and back again.

## MULTICALIBER SYSTEM


## LIGHTWEIGHT CARRY

**UTM**  
Training kits available


# MAIN FEATURES



Only 45° of travel between firing mode positions




Rubber butt pad




Three-arm flash hider




Four MIL-STD-1913 mounting rails




Ambidextrous/Adjustable controls




Adjustable non-reciprocating charging handle




3-stage gas tube regulator



Made from high quality aluminum alloy and extremely durable polymer



Folding, extendable polymer stock



Pistol grip with interchangeable backstraps and storage space

8"



# CZ BREN 2 5,56 × 45 NATO

The CZ BREN 2 5,56 × 45 NATO comes in three barrel lengths for striking a balance between portability and shooting accuracy at longer distances.

The 8" barrel version is also available with a four-position telescopic stock that can be extended to its maximum length with a quick pull. As a result, you're provided with a powerful firearm that's compact and easy to operate, as well as accurate during rapid firing.

**UTM**  
Training kits available

8"

PDW - TELESCOPIC STOCK



11"



14"



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 - 8"	5,56 × 45 NATO	1:7 / 6	30	8 / 207 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	2,89 ± 0,05	505 / 684-733 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 2 - 8" PDW - TELESCOPIC STOCK	5,56 × 45 NATO	1:7 / 6	30	8 / 207 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	3,08 ± 0,05	560-740 ± 10	202 ± 5	80 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 2 - 11"	5,56 × 45 NATO	1:7 / 6	30	11 / 280 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	2,99 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 2 - 14"	5,56 × 45 NATO	1:7 / 6	30	14 / 357 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	3,10 ± 0,05	657 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum Alloy

9"



# CZ BREN 2

## 7,62 × 39

The CZ BREN 2 chambered in 7,62 × 39 offers three options for barrel length, two shorter barrels for portability and one longer barrel for increased shooting accuracy at longer distances.

A four-position telescopic stock is available with the 9" barrel version, which can be extended to its maximum length with a quick pull. As a result, you're provided with a powerful firearm that's compact and easy to operate, as well as accurate during rapid firing.

**UTM**  
Training kits available

9"

PDW - TELESCOPIC STOCK



11"



14"



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 - 9"	7,62 × 39	1:9,45 / 4	30	9 / 227 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	2,85 ± 0,05	525 / 706-753 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 2 - 9" PDW - TELESCOPIC STOCK	7,62 × 39	1:9,45 / 4	30	9 / 227 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	3,03 ± 0,05	580-760 ± 10	202 ± 5	80 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 2 - 11"	7,62 × 39	1:9,45 / 4	30	11 / 280 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	2,90 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum Alloy
CZ BREN 2 - 14"	7,62 × 39	1:9,45 / 4	30	14 / 357 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	3,01 ± 0,05	657 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum Alloy

# CZ BREN 2 ACCESSORIES

A0210-0007  
SPUHR MOUNT SM-2001  
T-2/COMP5 H30MM



A0201-0024  
AIMPOINT COMP5 RED DOT  
WITHOUT MOUNT 200320

A0201-0018  
AIMPOINT 3×MAG-1  
MAGNIFIER SCOPE

A0203-0012  
SUREFIRE M340 DFT PRO  
TURBO FLASHLIGHT

A0203-0005  
SUREFIRE UE-SR07-BK  
REAR CAP WITH REMOTE  
SWITCH

3722-3500-6501ND  
CZ MAG 5,56 × 45 30RD  
MAGAZINE

3722-3500-7301ND  
CZ MAG 7,62 × 39 30RD MAGAZINE



A0201-0005  
AIMPOINT COMP4 RED DOT,  
QD MOUNT



A0203-0004  
SUREFIRE DS-SR07-D-IT DUAL SWITCH  
BLACK, WEAPON LIGHTS & ATPIAL/DBAL  
LASERS



A0204-0001  
STEINER DBAL-A3 LASER POINTER 50302



D2800-0300  
4M PZ-0031-2 POINT CZ BREN 2 SLING

D2800-0301  
4M 40 MM TACTICAL SLING, BLACK, UNI  
SIZE



D3722-0000  
4M MAGAZINE POUCH LASER-CUT  
5,56 × 45 – SINGLE, BLACK

D3722-0001  
4M MAGAZINE POUCH LASER-CUT  
7,62 × 39 – SINGLE, BLACK



D3722-0002  
4M TACTICAL POUCH,  
5,56 × 45 – SINGLE, BLACK, UNI SIZE

D3722-0003  
4M TACTICAL POUCH,  
7,62 × 39 – SINGLE, BLACK, UNI SIZE



A0215-0003  
985 NANUK CASE FOR CZ BREN 2



A0209-0000  
VISOR STOCK FOR CZ BREN 2

# CZ BREN 2 BR

## 7,62 × 51 NATO

**POWERFUL  
CALIBER**

16"



**The CZ BREN 2 BR is a cutting-edge automatic firearm that combines the best qualities of the successful CZ BREN 2 model series with the higher performance and increased power of the 7,62 × 51 NATO cartridge.**

The result is a new generation light select fire rifle, which is characterized by exceptional reliability, high accuracy, outstanding ergonomics and ease of control. Compared to smaller caliber rifles, the CZ BREN 2 BR with 16" barrel and 7,62 × 51 NATO chambering boasts a considerably longer effective range with greater downrange energy.

**LIGHTWEIGHT  
CARRY**

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 BR - 16"	7,62 × 51 NATO	1:11 / 4	25	16 / 407 ± 1	M15 × 1	Iron, Folding, Adjustable	3,78 ± 0,05	735 / 925-995 ± 10	210 ± 5	80 / 110 ± 5	16 ± 4	7075 T6 Aluminum Alloy

**CZ BREN 2 DMR**  
7,62 × 51 NATO

**EXCEPTIONAL**  
**ACCURACY UP TO 600 M**



**A highly accurate, semi-automatic rifle chambered in the powerful 7,62 × 51 mm NATO caliber, designed for precise target strikes at up to 600 m and shooting with an effective range of up to 800 m.**

This model has a guaranteed accuracy of 2 MOA at 600 m (with selected ammunition for the entire life of the barrel – up to 10,000 shots) and is constructed for superior reliability, even in the most extreme weather and operational conditions.

**ABSOLUTE**  
**RELIABILITY**  
**IN ALL TYPES**  
**OF ADVERSE WEATHER**

Above and beyond the strengths of the entire CZ BREN 2 series, it stands out for its light weight, extensive MIL-STD-1913 and M-LOK mounting interfaces, compatibility with AR-10 magazines, effective flash hider with ROTEX-V coupling for the quick installation of a B&T ROTEX-V suppressor, and the possibility to replace the standard folding/extendable stock with a fully adjustable MDT Skeleton V5 stock.

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 DMR - 18"	7,62 × 51 NATO	1:11 / 4	10	18 / 475 ± 1	5/8 × 24 UNEF	Iron, Folding, Adjustable	4,45 ± 0,05	810 / 1005-1075 ± 10	263 ± 5	80 / 115 ± 5	12 - 20	7075 T6 Aluminum Alloy



# CZ BREN 2 BR/DMR

## ACCESSORIES



A0204-0001  
STEINER DBAL-A3 LASER POINTER 50302



A0310-0016  
SPUHR SCOPE MOUNT SP-4802C Ø34  
H38MM 13MIL / 44.4MOA



A0204-0001  
STEINER DBAL-A3 LASER  
POINTER 50302

A0202-0001  
NIGHTFORCE ATACR RIFLESCOPE  
1-8x24



A0315-0000  
995 NANUK CASE  
FOR CZ BREN 2 BR

A0308-0001  
ATLAS BT10-LW17 V8 BIPOD

A0310-0012  
SPUHR SCOPE MOUNT SP-4002C  
Ø34 H38MM 0MIL/MOA PIC



3822-3500-1702ND  
CZ MAG 7,62 × 51  
25RD MAGAZINE, M118

3822-3500-1703ND  
CZ MAG 7,62 × 51  
10 RD MAGAZINE



D3822-0001  
4M TACTICAL POUCH, 7,62 × 51  
- SINGLE, BLACK, UNI SIZE

D2800-0301  
4M TACTICAL SLING 40 MM,  
BLACK, UNI SIZE

D3822-0000  
4M MAGAZINE POUCH, LASER-CUT  
7,62 × 51 - SINGLE, BLACK

A0310-0003  
QD SLING SWIVEL 25 MM



**FULLY  
ADJUSTABLE**

**OUTSTANDING  
ACCURACY**



## CZ *TSR*

**The ultimate sniper rifle chambered for the high performance 308 Win. cartridge for consistent, highly accurate shots at longer distances.**

The CZ TSR ensures SUB-MOA accuracy for a minimum of 10,000 rounds. Designed for precision bullet placement by all users, the CZ TSR boasts key design elements like an adjustable weight trigger, adjustable folding stock, and helical fluting pattern on the bolt that ensures reliable function even when faced with dirt and debris. Due to several STANAG 4694 mounting rails, the CZ TSR can be customized with a wide range of accessories that answer the needs of its users. Built to be reliable under all environmental conditions, the CZ TSR is expertly crafted using world-class materials.

# CZ TSR

308 Win. | 10



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	HEIGHT	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	1ST TRIGGER PULL WEIGHT [N]	2ND TRIGGER PULL WEIGHT [N]	STOCK
CZ TSR	308 Win.	1:11 / 4	10	26 / 660 ± 1	M18 × 1	6,3	920 / 1237 ± 10	192 ± 5	70 / 95 ± 5	3-5	10-20	7075 T6 Aluminum Alloy

Adjustable double-stage trigger

Thick-walled, cold hammer forged barrel with SUB-MOA accuracy

MIL-STD-1913 mounting rails

Bolt handle designed for reliable and fast reloading, even with a mounted riflescope

10-round 308 Win. magazine

Helical bolt fluting helps clear dirt and debris

**CZ TSR**  
**ACCESSORIES**

A0302-0009  
ZERO COMPROMISE ZCO  
5-27\*56 RIFLE SCOPE  
MPCT 3X CCW, BLACK



545130060481  
MUZZLE BRAKE



A0308-0002  
ATLAS BT12-QK MONOPOD  
(MIL-STD-1913)



5572-2000-5304ND  
CZ MAG 7,62 × 51 10RD  
MAGAZINE

A0310-0021  
SPUHR SCOPE MOUNT  
SP-6002 Ø36 H38MM  
0MIL/MOA

A0310-0011  
SPUHR SCOPE MOUNT SP-3002 Ø30  
H38MM 0MIL/MOA



A0308-0001  
ATLAS BT10-LW17 V8 BIPOD



A0315-0001  
990 NANUK CASE FOR CZ TSR



**FULLY**  
**AMBIDEXTROUS**

**CZ GL**

The CZ GL features class-leading light weight, compact dimensions and battle-proven performance. Tested and confirmed to shoot 2,000 non-stop rounds. NATO AC225/D14 Drop Safety Tested.

**SIMPLE**  
**CONSTRUCTION**  
**RELIABLE**  
**OPERATION**

GRENADE LAUNCHER



# CZ 805 G1

40 × 46 NATO | 1

MODEL

**CZ GL WITH STOCK**

**CZ GL ONLY**

CALIBER	TWIST RATE / NUMBER OF GROOVES	CAPACITY	BARREL LENGTH ("/mm)	SIGHTS	WEIGHT OF EMPTY WEAPON (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	STOCK	TRIGGER PULL WEIGHT (N)	FRAME
40 × 46 NATO	1:49 / 8	1	6,5 / 163	Iron, Folding	2,15 ± 0,05	417 / 567 ± 5	190 ± 5	PDW 1+3 Position Telescopic	50 ± 10	7075 T6 Aluminum Alloy
40 × 46 NATO	1:49 / 8	1	6,5 / 163	Rifle adapter for sights	1,16 ± 0,05	235	75 ± 5	UBGL Version	50 ± 10	



Ambidextrous manual safety

Tool-free QD attachment points

Trigger drop safety

Chamber indicator for visual and tactile monitoring of loading status

Hybrid double layered barrel

4-position telescopic stock



Ceska zbrojovka a.s. is a member of **Colt CZ Group SE**

**COLT  
CZGROUP**





| czub.cz